

130mm CONCRETE
DRIVEWAY BETWEEN CURB
AND PROPERTY LINE

BOULEVARD

ROAD
SURFACE

R=50

R=50

COMPACTED SAND CUSHION
(USED ONLT AT ENGINEER'S REQUEST)

SECTION 'A-A' SECTION 'B-B'

NOTES

- 1. CONCRETE COMPRESSIVE STRENGTH = 32MPa
- 2. MAXIMUM AGGREGATE SIZE = 20mm
- 3. MAXIMUM SLUMP = 75mm
- 4. CONTRACTION JOINTS SHALL BE CONSTRUCTED AT INTERVALS OF 1.5m WITH GROOVES APPROXIMATELY 3mm IN WIDTH AND SHALL EXTEND 1/4 THE DEPTH OF THE STRUCTURE
- 5. CONTRACTION JOINTS SHALL BE CONSTRUCTED IN ALL CROSSINGS AT INTERVALS OF 4.0m OR AT THE CENTRE OF CROSSINGS 6.0m OR LESS IN WIDTH
- 6. ALL DIMENSIONS ARE GIVEN IN "mm" UNLESS OTHERWISE INDICATED

			I CITT OF PRINCE ALDERT	Wes Hicks
			VERTICAL CURB CROSSING DETAIL	
1	06/01/18	SURFACE REPAIR CLARIFICATIONS		SCALE N.T.S.
No.	DATE	REVISION	DRAWN S. NUMEDAHL DESIGNED N. MILLER DATE OCT. 2014	DWG. No. 00-03-06